



Prior Art  
Figure 1A



Prior Art  
Figure 1B



Prior Art  
Figure 1C

202




Figure 2A

Figure 2B shows a browser application window titled "Browser Application". The interface includes a menu bar (File, Edit, View, Tools, Window, Help) and a toolbar with buttons for Back, Forward, Reload, Home, Search, Print, and Stop. The location bar shows the URL: <http://s1.abccompany.com/project1test/testload.htm>.

The main content area is divided into two sections:

- TEST AUTOMATION FACILITY (210)**: This section contains a form for configuring a test. It includes a "Duration" field (228) set to 100 seconds or repetition count, a "Repeat" radio button (230) selected, a "Time" radio button (232), a "Logging Level" dropdown (234) set to Status, and a list of test procedures (236) including TESTPROC001, TESTPROC002, TESTPROC003, and TESTPROC004. Below the list are four buttons: START TEST (240), STOP TEST (242), RESET FORM (238), and RESET LOG (244).
- Welcome to MyWebTravel.com**: This section displays the date and time (Monday, September 11, 2000) and a welcome message. It includes a navigation bar with links for News, Events, Specials, and Weather. Below the navigation bar are input fields for User ID and Password. The section also displays the date and time (09/11/00 09:27:03) and the message "Log initialized".

Figure 2B



```

function resumeTest( ) {
.
.
.
switch (document.navControl.testURI[nextTestCase].value)
{
.
.
.
case 'TESTPROC001': — 342
    parent.r_side.location = "http://s1.abccompany/project1test/XtremeXML/loginForXML.htm — 344
    break;
default:
    break;
.
.
.
}
.
.
.

```

## Figure 3D

```

<HTML><HEAD><TITLE>FLIGHT SCHEDULES</TITLE></HEAD>
<BODY bgcolor="#000000" LINK="red" VLINK="red" onLoad="parent.l_side.TESTPROC003( )"> — 402
.
.
.
</BODY>
</HTML>

```

## Figure 4A

```

function TESTPROC003( ) { — 410
.
.
.
switch (parent.r_side.document.title) — 412
{
.
.
.
case 'FLIGHT SCHEDULES': — 414
.
.
.
else { parent.r_side.location = "resumeTest.htm"; } — 416
    break;
.
.
.
}
.
.
.

```

## Figure 4B




Figure 5A




Figure 5B